

JLL/EHS/ENV/2017/68

28 June, 2017

To,

The Regional Officer ,
UP Pollution Control Board ,
108/11, Avas Vikas Colony,
Bijnore - 246701 ,
(U.P) .

Subject: Submission of Annual Report of Biomedical waste generation (Form-IV) for Jubilant Life Sciences Ltd. Gajraula (U.P)

Dear sir,


We are enclosing herewith a duly filled Annual Report of Biomedical waste Generation in Form No - IV for the period from 01.01.2016 to 31.12.2016.

We assure you of our commitment for the protection of environment and Compliance to the statutory requirement of Board all the times.

Thanking you

Yours faithfully,

For **Jubilant Life Sciences Limited.**,



C. B. Bhardwaj
Sr. Vice President – Manufacturing (Unit Head)

Encl: As mentioned above

A Jubilant Bhartia Company

OUR VALUES



Jubilant Life Sciences Limited
Bhartiagram, Gajraula
Distt. Amroha - 244 223, UP, India
Tel: +91 5924 252351, 252353-60
Fax: +91 5924 252352
www.jubl.com

Corporate Office:
1-A, Sector 16-A,
Noida-201 301, UP, India
Tel: +91 120 4361000
Fax: +91 120 4234895-96

Regd. Office:
Bhartiagram, Gajraula
Distt. Amroha - 244 223,
UP, India
CIN: L24116UP1978PLC004624

Form- IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1 .	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	C.B. BHARDWAJ
	(ii) Name of HCF or CBMWTF	:	Occupational Health Care
	(iii) Address for Correspondence	:	Occupational Health Care c/o Jubilant Life Sciences Ltd. Bhartiagram Gajraula (U.P)-244223
	(iv) Address of Facility	:	Occupational Health Care Jubilant Life Sciences Ltd. Bhartiagram Gajraula (U.P)-244223
	(v) Tel. No, Fax. No	:	05924-252353-60, 05924-252352
	(vi) E-mail ID	:	CB_Bhardwaj@jubl.com
	(vii) URL of Website	:	Not Applicable
	(viii) GPS coordinates of HCF or CBMWTF	:	Latitude - 28° 50' 44.52" N Longitude - 78° 14'34.68" E
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) – Private Jubilant Life Sciences Ltd. Bhartiagram Gajraula (U.P)-244223

	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: 1125/BMW-35/Amroha DT. 23.11.2016 Valid up to: 3 year
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: Not Applicable separately as facility is for employees of company which has all air and water consents under air and water act valid up to 31.12.2018.
2.	Type of Health Care Facility	:	Emergency management & First Aid
	(i) Bedded Hospital	:	No. of Beds: 5 nos.
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Not Applicable
	(iii) License number and its date of expiry	:	We have authorization no. 1125/BMW-35/Amroha DT. 23.11.2016 Valid up to: 3 year under the Bio-Medical Waste (Management and Handling) Rules
3.	Details of CBMWTF	:	Not Applicable as we are not the treatment facility and we are sending our Biomedical waste to CBMWTF ie: M/S Medicare Environment Management Pvt. Ltd. , UPSIDC Ghaziabad (U.P) .
	(i) Number healthcare facilities covered by CBMWTF	:	Not Applicable
	(ii) No of beds covered by CBMWTF	:	Not Applicable
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day / Not Applicable
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day Not Applicable
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 47.7 kg/ anum
			Red Category : 43.7 kg/ anum
			White: 28.0 kg/ anum
			Blue Category : Nil kg/ anum
			General Solid waste: NIL
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		

(i) Details of the on-site storage facility :	Size : 5x2 feet
	Capacity : Max. storage for three days of generation ie: 2.5 kg approx
	Provision of on-site storage : (cold storage or any other provision) If required the same is preserved in containers with lid and kept in earmarked area after disinfecting with suitable disinfectant.

(ii) Details of the treatment or :

disposal facilities	Type of treatment equipment	No of units	Capacity Kg/ disposed per annum	Quantity treated day in kg
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:		
	Not applicable as we are not treatment facility.			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.) Not Applicable			

	(iv) No of vehicles used for collection and transportation of biomedical waste	:	Not Applicable as we are not carrying any waste and same is carried away by CBMWTF personnels from our site
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Where Incineration ash generated disposed ETP Sludge NotApplicable
	(vi) Name of the Common BioMedical Waste Treatment Facility Operator through which wastes are disposed of	:	M/S Medicare Management Pvt.. Environment UPSIDC Ltd Ghaziabad (U.P)
	(vii) List of member HCF not handed over bio-medical waste.		NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Please refer annexure-1.
7	Details trainings conducted on BMW		Not Applicable
	(i) Number of trainings conducted on BMW Management.		Not Applicable
	(ii) number of personnel trained		Not Applicable
	(iii) number of personnel trained at the time of induction		Not Applicable
	(iv) number of personnel not undergone any training so far		Not Applicable
	(v) whether standard manual for training is available?		Not Applicable
	(vi) any other information)		NO
8	Details of the accident occurred during the year		Not applicable
	(i) Number of Accidents occurred		Not Applicable
	(ii) Number of the persons affected		Not Applicable
	(iii) Remedial Action taken (Please attach details if any)		Not Applicable
	(iv) Any Fatality occurred, details.		Not Applicable
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Not applicable as we are not the treatment facility.

	Details of Continuous online emission monitoring systems installed	Not applicable
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Not applicable
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Not applicable
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator) - Not applicable

Certified that the above report is for the period from
January'16 December:2016

.....


Name and Signature of the Head of the Institution

Date: 28.07.2017.
 Place Gajraula